



EUROQUAT HC47 VG

EUROQUAT PK47

high purity
surfactants

PRODUCT DESCRIPTION

Euroquat HC47 VG and Euroquat PK47 are low viscous preservative free amphoteric surface-active agents frequently used as secondary surfactants in a wide range of applications for their excellent viscosity and foam building properties in combination with extreme mildness.



INCI NAME
Cocamidopropyl Betaine

BENEFITS

- Foaming agent
- Foam stabilizer
- Detergency
- Reduction of irritation to skin and eyes
- Viscosity builder
- Mild to skin and eyes
- Compatible with anionic, nonionic and cationic surfactants
- Easy to use

APPLICATIONS

Home care Industrial cleaning

- hand dish washing liquids
- all-purpose cleaners
- toilet cleaners
- car and truck cleaners
- hard surface cleaners



Personal care

- body washes
- liquid soaps
- foam bubble baths
- shampoos
- shower gels
- facial cleaners


ORIGIN



NATURAL FEEDSTOCK

In response to your formulation challenges, EOC Surfactants offers you the opportunity to choose either for a Cocamidopropyl Betaine derived from coconut oil, Euroquat HC47 VG, or for a Cocamidopropyl Betaine produced from palm kernel oil, Euroquat PK47.

PROPERTIES




VISCOSITY BUILDING PROPERTIES


Euroquat HC47 VG and Euroquat PK47 are excellent viscosity builders for anionic surfactants solutions in combination with sodium chloride. Below graph illustrates that palm kernel oil based Euroquat PK47 gives better thickening upon addition of sodium chloride in a basic recipe than the coconut oil based Euroquat HC47 VG thanks to a slightly different alkyl-chain length distribution.

FORMULATION DETAILS

INGREDIENT	INCI DESCRIPTION	% w/w
Water	Aqua	61.5
LES28	Sodium Laureth Sulfate	26.4
Euroquat HC47 VG or Euroquat PK47	Cocamidopropyl Betaine	7.3
Eur-Amid V	Cocamide DEA	2.6
Euranaat LS3	Disodium Laureth Sulfosuccinate	2.2
Lactic acid	Lactic Acid	Qs to pH 6.0




FOAMING PROPERTIES



Foam formation and stabilization properties

Euroquat HC47 VG and Euroquat PK47 are excellent foam stabilizers. The foam behaviour is studied with the Kruss Dynamic Foam Analyzer. The graph below illustrates that Euroquat HC47 VG and Euroquat PK47 have a lower flash foam than SLES but much better foam stability.



MEASUREMENT CONDITIONS:

Sample concentration: 0.05% active

Temperature: 40°C

Foam sparging: 15 s

Measuring time: 600 s

- SLES
- Euroquat PK47
- Euroquat HC47 VG



EOC Surfactants

Durmakker 35
B-9940 Evergem

p/a IP De Bruwaan 12
B-9700 Oudenaarde

T +32 55 23 58 58

F +32 55 23 58 59

surfactants@eocgroup.com
www.eocgroup.com

All recommendations for the use of our products, whether given by us in writing, orally, or to be implied from data or test results obtained by us, are based on the current state of our knowledge at the time such recommendations are made. When additional information is obtained, these recommendations may be updated. They may also be influenced by circumstances outside our control. Notwithstanding such recommendations, the user is responsible to determine that the product as supplied by us, is suitable for the process or purpose he intends to use it. The user of the product is solely responsible for compliance with all laws and regulation applying to the use of the product. Since we cannot control the application, use or processing of the products, we do not accept responsibility therefore. The user shall ensure that the intended use of the products will not infringe in any party's intellectual property rights.